

Message

From: Sloan, Richard [RSloan@mt.gov]
Sent: 5/3/2018 8:41:36 PM
To: Gunnar Emilsson [EmilssonGR@cdmsmith.com]; Cirian, Mike [Cirian.Mike@epa.gov]
CC: Sanchez, Brian [sanchez.brian@epa.gov]; Berry, David [Berry.David@epa.gov]; Owen, Colleen [COWen@mt.gov]; Balliew, Carolina [Carolina.Balliew@mt.gov]
Subject: RE: CFAC Phase II SAP - Additional Responses/Risk Assessor Responses

Mike,
Gunner,

The DEQ agrees that ROUX/CFAC should finalize the RI, phase 2, work plan and proceed with the field work.

The DEQ still thinks that an additional five monitoring wells would better address the residential area and better define the fluoride/cyanide plume. Section 4.6 describes the installation of seven new monitoring wells. The DEQ recommends two additional wells to better define potential impacts on the western residential area (one midway between MW-057 and MW-059 and one 700 feet North of MW-057); the DEQ recommends three additional wells to better define the nature and extent of the cyanide/fluoride plume (one midway between MW-045 and MW-047, one 500 feet West of MW-054, and one 500 feet Northeast of MW-037). Thus 12 new wells (seven recommended by ROUX and five recommended by DEQ) would be installed, developed, and sampled.

Thank you.

Dick Sloan

From: Emilsson, Gunnar [mailto:EmilssonGR@cdmsmith.com]
Sent: Thursday, May 03, 2018 10:40 AM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David <Berry.David@epa.gov>; Sloan, Richard <RSloan@mt.gov>
Subject: RE: CFAC Phase II SAP - Additional Responses/Risk Assessor Responses

Mike:

CDM Smith has reviewed all of the responses to comments that were attached to this email. We find that CFAC/Roux has adequately addressed all the comments and captured the April 19 call with the revised responses. We recommend that you request CFAC/Roux to revise and submit the Phase II Sampling and Analysis Plan for final approval.

Gunnar Emilsson, P.G., P.E., BCEE

Project Manager

CDM Smith

50 West 14th St., Suite 200, Helena, MT 59601

T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982

emilssongr@cdmsmith.com

cdmsmith.com

From: Laura Jensen <ljensen@rouxinc.com>
Sent: Wednesday, April 25, 2018 9:25 AM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David

<Berry.David@epa.gov>; Dick Sloan <rsloan@mt.gov>; John.Stroiazza@glencore.ca; Steve Wright - CFAC
<swright@cfaluminum.com>; Andrew Baris <abaris@rouxinc.com>; Michael Ritorto <mritorto@rouxinc.com>

Subject: CFAC Phase II SAP - Additional Responses/Risk Assessor Responses

Mr. Cirian,

On behalf of CFAC, Roux is providing the attached additional responses to EPA and MDEQ comments on the Phase II Sampling and Analysis Plan (Phase II SAP) for the RI/FS. These responses were discussed during our conference call on April 19, 2018 as documented in the meeting minutes. Additionally, Roux is providing the attached responses to USEPA's risk assessor's comments.

Pending any additional comments from EPA/MDEQ, Roux will proceed with finalizing and submitting the Phase II SAP next week.

Laura Jensen | Project Hydrogeologist

209 Shafter Street, Islandia, New York 11749

Main: (631) 232-2600 | Direct: (631) 630-2358

Email: ljensen@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



 Please consider the environment before printing this email

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.